

**CCNA(200-125) V2.0 ( 2018.1.3 )**

CCIEDUMP.SPOTO.NET

## QUESTION 1

Select and Place:

DCE/DTE	Switch access port to router
crossover	Switch to switch
null modem	PC COM port to switch
Straight-through	router serial to router serial
rollover	
9-25 pin serial	

Correct Answer:

9-25 pin serial	Straight-through
null modem	crossover
	rollover
	DCE/DTE

## QUESTION 2


Drag each category on the left to its corresponding router output line on the right.

Each router output line is the result of a show ip interface command. Not all categories are used.

- Layer 1 problem
- Layer 2 problem
- Layer 3 problem
- port operational
- port disable

- Serial0/1 is up, line protocol is up
- Serial0/1 is up, line protocol is down
- Serial0/1 is down, line protocol is down
- Serial0/1 is administratively down, line protocol is down

Correct Answer:



- port operational
- Layer 2 problem
- Layer 1 problem
- port disable

### QUESTION 3

A user is unable to connect to the internet. Based on the layered approach to troubleshooting and beginning with the lowest layer. Follow the guide and drag the content to relevant modules.

Verify URL	Step 1
Verify NIC operation	Step 2
Verify IP configuration	Step 3
Verify Ethernet cable connection	Step 4

Correct Answer:



Verify Ethernet cable connection
Step 2
Step 3
Step 4

### QUESTION 4


Match the items on the left with appropriate OSI layer on the right. (Not all options are used.)

CCIEDUIN




Correct Answer:

CCIEDUMP



## QUESTION 5

Drag and drop the IPv6 multicast feature or protocol on the left to the correct address space on the right.



Correct Answer:

www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net

- PIM routers
- OSPFv3 all DR routers
- All routers
- EIGRP
- All nodes
- RIP routers

## QUESTION 6

Select and Place:

Drag and Drop the correct address space on the left on the IPv6 multicast feature or protocol on the right.

T.M.P.S.T

- |         |                               |
|---------|-------------------------------|
| FF02::5 | All nodes of Link Local       |
| FF02::A | All EIGRPv3 Routers           |
| FF02::D | All OSPFv3 Designated Routers |
| FF02::1 | All PIM Routers               |
| FF05::2 | All OSPFv3 Routers            |
| FF02::6 | All Routers of site local     |

www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net  
www.spoto.net

- FF02::1
- FF02::A
- FF02::6
- FF02::D
- FF02::5
- FF05::2

CCIEDUMP.St